

# MEET



FERMAX

## SUCCESS CASE

### MEET IP INTERCOM AND CONTROL 4



# Control 4<sup>®</sup>




CONTROL 4 INTEGRATION

## SYSTEM INTEGRATION

It is possible to reduce costs on home automation projects by integrating the video intercom system with the home automation system in the following 2 ways.

**OUTDOOR VIDEO PANEL** to call any C4 devices such as C4 smartphone app, C4 touchscreens,, etc. This is achieved by installing FERMAX MEET C4 Driver\* in the controller.

## FUNCTIONALITIES



**HOME AUTOMATION CONTROL AND VIDEO INTERCOM CALL DIVERT IN THE SAME C4 APP**

**SECONDARY IP VIDEO STREAM (RTSP) FROM PANEL TO CCTV NVR**



## BENEFITS



- ◆ It is possible to combine in the same residential building video intercom panels calling to different terminals in the apartment. So in some apartments can be used WIT monitors (where there is no home automation) and in some other apartments C4 touch screens can be used (where home automation is installed).




- ◆ Integration time is reduced since the IP Technology makes easier to use CAT-5 cabling.
- ◆ Installation time is minimised thanks to the use of MEET Control 4 Driver, easy to install and configure.



- ◆ Different aesthetics on panels, from 1W single pushbutton panel to multi apartment outdoor panels with touch screen.

## INTEGRATION ARCHITECTURE



The outdoor panel sends the video to the C4 controller using SIP protocol

In this way the controller is able to send to all user interfaces the audio and video, even opening the door could be done interacting with the relay embedded on the outdoor panel.

## INSTALLATION

Interoperability is based exclusively on using C4 Driver License. C4 Driver License can be purchased separately (link to the driver on the next page)

## WHY FERMAX?

FERMAX is a worldwide reference in the video intercom industry. The products have been installed in the most emblematic projects in the world. FERMAX Distribution network, which is present in more than 70 countries, will provide the best Support and assistance.

## MEET PRODUCT REFERENCE NUMBERS




WIT 7" Y 10" MONITORS



MILO 1 WAY PANEL



KIN PANEL



MARINE PANEL

CONTROL 4 Controller



### INDOOR MONITORS

- 14701 7" WIT MONITOR PoE WHITE
- 14703 7" WIT MONITOR PoE BLACK  
1 connector RJ-45. Dimensions: 212x132,5x20mm
- 14811 10" WIT MONITOR HOME AUTOMATION PoE WHITE
- 14813 10" WIT MONITOR HOME AUTOMATION PoE BLACK  
2 connectors R-J45. Dimensions: 270x168x20mm
- 1489 10" WIT MONITOR FLUSH BOX  
Dimensions: 255x155x50mm
- 9541 MIO/WIT MONITOR CONNECTOR  
Mounting support for the MIO/WIT monitor on the wall.  
Includes monitor connection cables.

### OUTDOOR PANELS

- 1445 KIN TOUCH PANEL  
Panel: 185x405x50 mm
- 1449 KIN PANEL FLUSH BOX  
Panel: 170x382x58 mm
- 9516 KIN PANEL SURFACE BOX (STAINLESS STEEL)  
Panel: 189x413x6,5-110 mm
- 1455 MARINE DIGITAL VIDEO PANEL MEET  
155x 410x 49mm
- 1456 MARINE DIRECTORY PANEL MEET  
155x410x49mm
- 1458 MARINE PANEL SURFACE BOX MEET  
159x412x63,5mm
- 1459 MARINE PANEL FLUSH BOX MEET  
141x394x60mm
- 14591 MEET FLUSH BOX JOINING BOLTS SET  
Separation between 14mm flush boxes
- 9531 MILO DIGITAL VIDEO PANEL
- 9532 MILO TOUCH VIDEO PANEL  
Panel: 155x380x48mm. 1,2 Mpx
- 9536 DIRECTORY MILO PANEL  
Flush box 143x357x58mm
- 9542 MILO PANEL FLUSH BOX- L  
Flush box 143x357x58mm
- 9517 MILO DIGITAL PANEL SURFACE BOX  
Flush box: 160x387x66-108mm

Control 4

CONTROL 4 Controller Range

[CONTROL 4 Driver for MEET Panels](#)