


SUCCESS CASE

MEET IP SYSTEM AND BASALTE HOME AUTOMATION

FERMAX




wit

basalte



CORE SERVER AND ELLIE INTEGRATION



It is possible to reduce costs on home automation projects by integrating the video intercom system with the home automation using **MEET indoor monitors** as the main user interface to control **BASALTE Home Automation**.

FUNCTIONALITIES



APP CALL DIVERT ON SMARTPHONE



SMARTPHONE HOME AUTOMATION CONTROL

HOME AUTOMATION CONTROL FROM INDOOR MONITOR



INTERNAL MONITOR INTERCOM



IP CAMERA VISUALIZATION FROM MONITOR

BENEFITS



- Integration costs are decreased by using a single touch screen, the **WIT** indoor monitor or **ELLIE** touch screen, instead of 2 touch screens for home automation and video intercom.



- Integration time and costs are dramatically reduced, since no SIP integration is required with WIT monitor, so the technical knowledge required to do the integration is really affordable.



- All specific residential video intercom functionalities are provided by FERMAX MEET system, which is designed to offer the best user experience for tenants and visitors.

- With the 10" WIT video monitor, building IP network and home local network are completely isolated thanks to its 2 RJ45 interfaces.

In the same way the home automation can be controlled using smartphones or tablets, **BASALTE app** can be used in the WIT monitor, since it is **Android 10** based. In this way we can provide a fixed and centralised control device in the installation.

WIT monitor can interact easily with **BASALTE CORE** server, which is the main link with the home automation devices at home.

WIT 10" monitor is available in white and black colour with an optional flush mount box. There is a smaller version of 7" in case it fits better into the project.



INSTALLATION REMARKS


BASALTE APP installation in the monitor is done by a certification process, so the APP can be installed on the monitor through IP in batch mode.

When using **BASALTE ELLIE** touch screen the doorlock release is to be operated by using a KNX relay. With **WIT** monitor no extra relay is required. Call can be received in **BASALTE APP** (only in local WIFI) or in **FERMAX MEET ME APP** (4G and WIFI).


WHY FERMAX?

FERMAX is a worldwide reference in the video intercom industry. The products have been installed in the most emblematic projects in the world. FERMAX Distribution network, which is present in more than 70 countries, will provide the best Support and assistance.

RESIDENTIAL APARTMENTS BUILDING



SINGLE VILLA SOLUTION



MEET PRODUCT REFERENCE NUMBERS



WIT 7" Y 10" INDOOR MONITORS




ref.9533

MILO 1 PUSHBUTTON
OUTDOOR PANEL




ref.953303



MEET ME
CALL DIVERT



KIN PANEL



MARINE PANEL



CORE SERVER MINI



ELLIE TOUCH SCREEN



CORE SERVER

PANELS

- 9531 **MILO DIGITAL VIDEO PANEL MEET**
- 9532 **MILO TOUCH VIDEO PANEL MEET**
Panel: 155x380x48mm. 1,2 Mpx
- 9536 **DIRECTORY MILO PANEL MEET**
Flush box 143x357x58mm. Flush box not included.
- 9542 **MILO PANEL FLUSH BOX- L MEET**
Flush box 143x357x58mm
- 9517 **MILO DIGITAL PANEL SURFACE BOX MEET**
Flush box: 160x387x66-108mm
- 9533 **1/W MILO VIDEO PANEL MEET**
- 9534 **1/W MILO VIDEO PANEL WITH PROX MEET**
- 953303 **1/W MILO VIDEO BLACK PANEL MEET**
Panel: 118x183x49mm. 1 Mpx.
- 9535 **MEET PROXIMITY READER**
Panel: 118x183x49mm.
- 9543 **MEET PANEL FLUSH - S**
Flush box: 105x172,5x63mm
- 1455 **MARINE DIGITAL VIDEO PANEL MEET**
155x 410x 49mm
- 1459 **MARINE PANEL FLUSH BOX MEET**
141x394x60mm
- 1445 **KIN TOUCH PANEL MEET**
Panel: 185x405x50 mm
- 1449 **KIN PANEL FLUSH BOX MEET**
Panel: 170x382x58 mm

FERMAX INTERCOM INDOOR UNITS

- 14721 **7" WIT MONITOR PoE WHITE**
- 14723 **7" WIT MONITOR PoE BLACK**
1 connector RJ-45. Dimensions: 212x132,5x20mm
- 14831 **10" WIT MONITOR HOME AUTOMATION PoE WHITE**
- 14833 **10" WIT MONITOR HOME AUTOMATION PoE BLACK**
2 connectors R-J45. Dimensions: 270x168x20mm
- 1489 **10" WIT MONITOR FLUSH BOX**
Dimensions: 255x155x50mm
- 9541 **MIO/WIT MONITOR CONNECTOR**
Mounting support for the MIO/WIT monitor on the wall.
Includes monitor connection cables.
- 1496 **MEET ME LICENSE (CALL DIVERT)**
up to 8 simultaneous users with the same license

basalte

- BASALTE ELLIE TOUCHSCREEN
- BASALTE CORE SERVER
- BASALTE CORE SERVER MINI