






SUCCESS CASE



AJAX SMART HOME SECURITY

integration with

FERMAX MEET IP INTERCOM









ALARMS INTEGRATION WITH INTERCOM

Home security is usually associated to alarms, but it video doorphone is also a security system, that provides access to the building. Both systems interact with the user through a keypad in the case of the alarms or through an indoor video doorphone monitor.

It is possible to achieve an **optimal aesthetic solution** using the same user interface, the video intercom indoor monitor. This **optimizes also the costs** since it is required just on single device to arm and disarm the system and answer the doorphone calls.

In the same way alarm is armed and disarmed from an smartphone, it is possible to receive the **doorphone video call** in the smartphone MEET ME app without any extra cost.

FUNCTIONALITIES



ARMED AND DISARM FROM THE INDOOR VIDEO INTERCOM MONITOR


DOORPHONE CALL DIVERT UP TO 8 SIMOULTANEOUS (WITHOUT EXTRA COSTS)

OUTDOOR PANEL RTSP VIDEO STREAM OUTPUT TO BE RECORDED IN CCTV NVR DEVICE

SECONDARY DOOR OPENING AND SECURE OPENING USING ADDITIONAL EXTERNAL RELAY

CCTV CAMERA VISUALIZATION FROM THE APP

BENEFITS





- Simple integration based in apps installation on the indoor monitor and IP technology
- 4

♦ Single aesthetic solution integrated in one control device.

INSTALLATION

AJAX systems allow different connections, either wired Ethernet or Wireless 4G, Wifi or GPRS. Thanks to the IP Ethernet connection of the video doorphone monitor it is possible to connect to the AJAX alarm hub using RJ-45 connector.

The indoor monitor will be also connected to the building common network, where the outdoor panel is also connected to establish the call, using a secondary RJ-45 connector. In this way common and private networks are totally isolated.

From the WIT monitors it is possible to interact with the alarm system using all the options from the AJAX app installed on the touch screen. The monitor then can be used as an arming/disarming keypad and as a visualization panel to check the system general status.















WIT MONITORS 10" OR 7" SOLUTION (Single house case study)



WIT MONITORS 10" SOLUTION (Multi apartments building case study)



WIT monitor will show the user interface to control AJAX system









MEET PRODUCT REFERENCE NUMBERS



WIT 7" Y 10" INDOOR MONITORS







ref.9533

ref.953303

MILO 1 PUSHBUTTON OUTDOOR PANEL

MEET ME CALL DIVERT Included with monitors








MARINE PANEL





PANELS

WORKS WITH

MILO TOUCH VIDEO PANEL MEET Panel: 155x380x48mm. 1,2 Mpx
DIRECTORY MILO PANEL MEET Flush box 143x357x58mm. Flush box not included
MILO PANEL FLUSH BOX- L MEET Flush box 143x357x58mm
MILO DIGITAL PANEL SURFACE BOX MEET Flush box: 160x387x66-108mm
1/W MILO VIDEO PANEL MEET
1/W MILO VIDEO PANEL WITH PROX MEET
1/W MILO VIDEO BLACK PANEL MEET Panel: 118x183x49mm. 1 Mpx.
MEET PROXIMITY READER Panel: 118x183x49mm.
MEET PANEL FLUSH - S Flush box: 105x172,5x63mm
MARINE DIGITAL VIDEO PANEL MEET 155x 410x 49mm
MARINE PANEL FLUSH BOX MEET 141x394x60mm
KIN TOUCH PANEL MEET
Panel: 185x405x50 mm
KIN PANEL FLUSH BOX MEET
Panel: 170x382x58 mm

FERMAX INTERCOM INDOOR UNITS

14721	7" WIT MONITOR POE WHITE
14723	7" WIT MONITOR POE BLACK 1 connector RJ-45. Dimensions: 212x132,5x20mm
14831	10" WIT MONITOR HOME AUTOMATION POE WHITE
14833	10" WIT MONITOR HOME AUTOMATION POE BLACK 2 connectors R-J45. Dimensions: 270x168x20mm
1489	10" WIT MONITOR FLUSH BOX Dimensions: 255x155x50mm
9541	MIO/WIT MONITOR CONNECTOR Mounting support for the MIO/WIT monitor on the wall. Includes monitor connection cables.
1496	MEET ME LICENSE (CALL DIVERT) up to 8 simultaneous users with the same license







AJAX SYSTEMS SITE



